48

AQUILA 48 POWER CATAMARAN

Length overall w/ swim & protection platform	48'.03" / 14.7 м
Beam overall	23'.06'' / 7.17 м
Height above waterline w/ hard top	18'.08" / 5.7 _M
Draft without sacrificial skegs	3'.07'' / 1.09 м
Draft with sacrificial skegs	3'.08'' / 1.12 м
Light displacement	47,620 LB / 21,600 кд
Fully loaded displacement	55,556 LB / 25,200 KG
Fuel tank (approx)	356 gal / 1,350 L
Fuel tank (generator w/ genset option only)	105 _{GAL} / 400 L
Water tank (approx)	193 _{GAL} / 730 L
Holding tank (approx)	90 GAL / 340 L
CE certification	A:10 ; B:10 ; C:16 ; D:2

Sleeps (up to)	8
Max passengers	25
Cabins	4
Heads	4
Showers	4

Propulsion

VOLVO PENTA DIESEL ENGINES W/ V DRIVE GEARBOX (2X D4 225 $_{\rm HP}$ / 165 $_{\rm KW}$)



The specification measurements are approximate and subject to variance.







EXTERIOR FEATURES

CONSTRUCTION

Resin infused hull and deck construction creating high strength and stiffness Solid FRP lamination at hull centerlines including all through hulls Vinylester resin with excellent corrosive and water resistant properties NPG gelcoat with superior UV resistance Resin infused bulkheads All main FRP components resin infused construction including bulkheads Bow crash box in each hull Hull stern extensions separately molded and attached for safety Windows in hull and deck high quality tempered shatter proof glass meeting ISO standards Custom built salon and flybridge support structure using 316 stainless steel

HULL AND DECK FEATURES

Opening deck hatches 11 (carefully positioned to enhance ventilation in cabins) Opening ports in hull windows for heads(3)

Custom built PVC rub rail with 316 stainless steel insert offering all round protection Solid custom deck railing in 316 stainless steel

- 2x Comfortable and protected bow seats integrated into deck railing
- 8x Mooring cleats in solid 316 stainless steel thru bolted
- Deck fill plates in 316 stainless steel 1x water; 3x fuel; 2x waste
- Bow roller for secondary anchor 316 Stainless steel

Anchor locker with 1500 watt windlass, handheld remote control with custom chain lock Well placed ergonomic handrails in 316 stainless steel ensuring secure movement onboard Port & Starboard ergonomic forward steps leading to flybridge in FRP with 316 stainless steel support structure

Ergonomic transom steps for easy boarding and comfortable lounging off stem Transom boarding rails in 316 stainless steel. located in centre of aft steps LED navigation lights - port, starboard, stern, anchor θ running Light Engine ventilation intakes with FRP cowling and 316 stainless steel cover

Swim ladder -316 stainless steel

Large starboard bow locker - waterproof and easylift gas hinge for fender storage etc. Dedicated port bow locker - waterproof and easylift gas hinge for water system and optional watermaker

- Self draining storage locker in aft cockpit floor
- Forward and aft cockpits and sidedecks all self draining

Engine access lockers with easylift gas hinge allowing easy access to engine room

Aft cockpit with expansive hinging window and door opening to galley

Aft cockpit bar area with 2x 316 stainless steel bar stools

Aft cockpit seating area with U-shaped settee with integrated cup holders and table (converts into sun bathing area)

Forward cockpit with comfortable seating with backrests cushions for relaxing and socializing Forward cockpit covered with integrated hardtop, LED mood lighting and speakers

Forward cockpit floor - large locker doors allowing all round access to generator (optional) Forward cockpit watertight door allowing easy access from forward cockpit to salon

Forward cockpit canvas and lexan enclosure

Forward cockpit table (Small)

Integrated aft side boarding step in hull with 316 stainless steel handrail

Large spacious foredeck for sunbathing

LED down lighting in aft cockpit

Variable temperature stern shower located at port aft steps







FLYBRIDGE

Radar arch across flybridge Exceptional flybridge access from three stairway locations Main access from salon interior via teak and stainless steel stairway Ergonomic positioned handrail for safe access to and from salon Large acrylic watertight hatch door closes off interior from flybridge Water protection cover situated behind salon stairway Forward flybridge access via port and starboard FRP and stainless steel stairway Ergonomic positioned handrails for safe access via forward stairways Flybridge guardrails with acrylic wind protection inserts Electronic engine double lever throttle and gearshift control Variable position stainless steel steering wheel Hydraulic steering Helm station console in dark grey non glare UV protect finish Compass at helm station Protected storage cubby under helm station Dark blue helm station canvas cover Entertainment system remote control located next to helm Marine waterproof speakers located in hardtop Dark acrylic windscreen with 316 stainless steel handrail support to deflect wind and glare Spacious comfortable helm seat for 3 people with upholstered seat and backrest Comfortable aft facing jump seats port and starboard of helm station Flybridge table with fold down extensions comfortably seating 8 people Upholstered flybridge cushions and backrests Dedicated sun deck forward of the helm station windscreen comfortable for 3 people 2x Sun lounging pads on flybridge Wetbar behind helm station incorporating Corian work surface, sink and hot and cold faucet Flybridge electrical BBQ with SS reflector plate Integrated hinged fiberglass cover for wet bar area Prefitting TV for flybridge Large storage area under wetbar w/ 2x access doors (optional location for fridge and icemaker) Dedicated life raft storage locker under aft seat with easy launch Lifejacket and safety gear storage under flybridge seats 11x Cup holders located in various areas around flybridge Composite hard top with lights and 2x 55W solar panels (epoxy sandwich) 1x Raymarine CAM200 mounted on aft of radar arch for docking Raymarine AIS 650 system with antenna coupling Raymarine evolution autopilot with P70 rotary display (hydraulic) Raymarine I70 multifunction display (speed, depth etc) Raymarine E125 chartplotter on flybridge plus seatalk backbone cable kit Raymarine 55US VHF with raymicrophone remote station for flybridge and antennae

ENGINE ROOM

Underwater engine exhaust to reduce engine emission noise

- Automatic fire supression heat activated system with alarm monitors at helmstation
- Electronic start/stop switches at helmstation with E key protection

Engine room insulation - 50 mm flame retardent polyurethane foam covered with metalized polyester film

- 316 Stainless steel engine support frame
- Engine room lighting

Automatic electric bilge pump in each engine room with warning light at helm and navstation Excellent all round engine and systems access for ease of mainternance 2x Hydraulic steering cylinders







ENGINE CONTROL

Electronic engine double lever throttle and gearshift control Volvo electronic vessel control (EVC) 4" display at helm station Electronic start/stop switches at helm station with E key protection

UNDERWATER GEAR

Engine V Drive transmission for compact efficiency
Propeller tunnels for reduced draft and maximum efficiency
23 Inch/584mm 4 blade bronze propeller
Propeller shaft - 1.57 inch/40mm machined stainless steel
Rudders and tiller arm in 316 stainless steel with FRP tube
Shut off valves on all salt water intakes in engine rooms
Sea water strainers with transparent lid
Watertight self aligning dripless shaft seal with 316 stainless housing and self aligning teflon bearing
Extended bronze P bracket for maximum propeller protection
Sacrificial skeg forward of drive train

TECHNICAL FEATURES

Bilge pump warning lights at helm & nav station Instrument panels Steering, tilt wheel Steering wheel, stainless steel

INTERIOR FEATURES

SALON

Excellent all round visibility from salon seating

Shatter proof windows with external overhangs offers excellent visibility and reduced sunlight Tempered glass bi-fold door and hinged window access to cockpit offers excellent ventilation and through flow

Watertight hinged door to forward cockpit

Venetian wood blinds covering port and starboard side windows

Overhead LED ceiling lights, LED mood lighting and LED courtesy lighting 2x reading lamps

Panel ceilings with decorative wood trim and LED lights

Comfortable open couch seating to starboard

Settee seating U shape around salon table comfortably seats 8 people

Salon table

Large shelves behind settees

Cushions in soft easy clean upholstery

Dedicated liquor cabinet (3 cabin version)

Hidden slide out mini bar in partition (4 cabin version)

4 x surround sound speakers and sub woofer entertainment system

Hidden TV storage


Salon converts into 2x comfortable Single Beds

Vertical 316 stainless steel handrail in salon and galley

Synthetic wear resistant flooring offering maintenance free natural wood look



3 Cabin Layout



4 Cabin Layout

GALLEY

Three burner propane / Butane stove in center of galley Microwave - 120V or 220V (Inverter option as power source required) Refrigerator / Freezer 2 drawer front access offering easy access and efficient packing Double stainless steel sink with corian worktop cover and single lever variable temperature faucet Storage cupboards & drawers offering ample storage for all galley accessories Deep dish drying rack with corian worktop cover Interior teak and stainless stairway offering easy access from galley and salon to flybridge Durable stain resistant corian countertop Ample storage lockers on starboard side under corian worktop surface perfect for serving area Slide out garbage bin under sink Dedicated blender / Coffee maker / Appliance work area behind corian countertop Overhead LED ceiling lights as well as mood lighting LED courtesy floor lighting Vertical stainless steel 316 handrail for steps up to flybridge Synthetic wear resistant flooring offering maintenance free natural wood look Storage area above galley cupboards with stainless steel 316 fiddle

STATEROOMS

Large windows offering excellent view Dedicated hanging locker Ample storage lockers Venetian wood blinds covering large hull windows Concealed shade blind and insect screen on opening deck hatch where installed Overhead LED ceiling lighting and floor courtesy lighting Overhead LED reading lights Full size island style bed in all staterooms offering access from both sides Aft staterooms convertible bed offering full size bed or separate single beds Ample storage lockers under beds Memory foam mattresses Synthetic wear resistant flooring offering maintenance free natural wood look Cabin door offering quiet and privacy Cabin Mattress Sizes: Aft Beds Together: 78"L x 60"W (198cm x 152cm) Aft Beds Apart: 78"L x 30"W (198cm x 76cm), Frwd Bed = 78"L x 6<u>0"W (198cm x 152cm</u>)

HEADS & SEPARATE SHOWER STALLS

Quiet electric fresh water flush toilet with large bowl and push button control Private door leading into cabin Opening deck hatch offering ample ventilation Venetian wood blinds over hull window Opening port light in large window Stylish round wash basin with single lever variable temperature faucet Corian countertop surrounding wash basin Vanity lockers with mirrors Synthetic wear resistant flooring offering maintenance free natural wood look Separate shower stall with seat and flexible shower faucet Natural teak grating shower floor Acrylic door separating shower from the rest of the bathroom Automatic shower ϑ sink drain via dedicated sealed sump box Overhead LED lighting LED nightlight above washbasin Toilet roll holder located in sink locker









NAVIGATION AREA

Ample navigation work surface for charts and books AC/DC electrical panel w/ circuit breakers & transfer switches for all electrical systems. Inc ample spare breakers Dedicated service panel for optional generator, desalinator and inverter control panels Dedicated electronics display panel offering easy access and visibility to electronic systems inc optional VHF radio Multi-zone entertainment system master unit offering multi-zone control with dedicated iPod/iPhone connection Electronic panel displaying navigation lights and bilge pump warning lights and manual switches

Light switch panel controlling all salon, galley and aft cockpit lighting

WATER SYSTEM

Fresh water pressure pump with accumulator tank offering equal water pressure throughout Backup fresh water pump

2x 15 Gal/60 L hot water cylinders powered by engine heat exchangers and AC power 2x 103 Gal/390 L connected water tanks

Water tank level gauge located at on service panel

WASTE SYSTEM

Grey water from showers and sinks collected in 2x sealed sump boxes and automatically discharged over-board

Black water holding tanks discharged via deck pump out or overboard with macerator pumps Black water tank level gauges located on service panel

ELECTRICAL

House batteries 5x 200 Amp/hour AGM technology in dedicated battery locker Dedicated engine batteries 2x 200 Amp/hour AGM technology Shore side electrical system AC power supplied by 2x 50 Amp 125/250V shore power cables Dedicated circuit breaker switches for all high load components Galvanic isolator protector system

FUEL SYSTEM

Diesel fuel system with racor water separation filters Dedicated fuel tank for each engine Fuel filters Aluminum fuel tanks with safety shut off valves and level monitors at helm station

SAFETY

2x opening escape hatches located in aft cabins

2x tempered glass escape hatches located under cabin stairs with emergency escape hammer Automatic fire suppression heat activated system with alarm monitors at helm station Emergency hammer

Emergency steering position with custom emergency tiller in 316 stainless steel

 $2\,x$ opening escape hatches located in forward cabins

Dedicated bow crash boxes in each hull

Dedicated aft hull extensions double as crash boxes for each hull

All deck hatches fitted with latches and waterproof



AQUILA 48 POWER CATAMARAN

The Aquila 48 was designed to be an exceptionally comfortable cruising boat as a result of the inte-gration of advanced technology in all design and build decisions.

This ocean-going power cat includes many customization options to meet an array of boating life-styles from 2, 3 or 4 cabin layouts, custom finishes, interior helm and aft deck options for cruising, entertaining or live aboard comforts.





MARINEMAX



Design & Styling:]6]

www.aquilaboats.com

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.